

JAWZ TI MANUAL

DEEP
DOWN
YOU
WANT
THE
BEST

SCUBAPRO.COM

ENG - English	3
CZE - Čeština	5
DAN - Dansk	7
GER - Deutsch	9
SPA - Español	11
FRE - Français	. 13
HRV - Hrvatski	.15
IND - Indonesia	. 17
ITA - Italiano	19
HUN - Magyar	.21
DUT - Nederlands	. 23
POL - Polski	. 25
POR - Português	. 27
RUM - Română	29
SLV - Slovenščina	.31
SLO - Slovenčina	. 33
FIN - Suomi	. 35
SWE - Svenska	.37
TUR - Türkçe	.39
GRE -Ελληνικά	.41
RUS -Русский	. 43
CHI - 中文	. 45
JPN - 日本語	. 47
KOR - 한국어	. 49
BUL -Български	51
LAV - Latviešu	53
LIT - Lietuvių	.55

SCUBAPRO JAWZ TI™ GUIDE

SCUBAPRO JAWZ Ti[™] is designed to improve personal safety and effectiveness during underwater or surface operations, as well as low visibility, emergency, and survival situations. All LIFELINE Tactical Rescue Tools have their own unique design features, each engineered to serve a specific purpose and function. Proper use ensures both the effectiveness and performance of the SCUBAPRO JAWZ Ti[™] in the field and increases personal safety.

With the provided Quick Clip, the SCUBAPRO JAWZ Ti[™] can be quickly attached to the BCD shoulder D-ring. This is the ideal position for it. The silicone band can be used to secure the SCUBAPRO JAWZ Ti[™] to the shoulder strap, or it can naturally hang from the BCD's D-ring. This attachment configuration provides easier access to it during an emergency since it hangs straight down during normal diving. It also puts the SCUBAPRO JAWZ Ti[™] in your line of sight, again, for ease of use, deployment and re-sheathing.

The phosphorescent/glow-in-the-dark handles and sheath are pow-ered by the sun. Simply place it in direct sunlight and allow time to charge on both sides.

Features and Cutting Areas:





IMPORTANT NOTICES

Always handle the SCUBAPRO JAWZ TiTM with care. It is meant to be used in emergency situations only for rescue purposes. It has not been designed to withstand wear and tear over time by common everyday use.

When performing regular care of the SCUBAPRO JAWZ TiTM, it is extremely important that it is sheathed and unsheathed with the spine pressed against the interior opening of the sheath.

Avoid touching the sheath with the serrated edge of the SCUBAPRO JAWZ Ti™. The serrations are sharp enough to cause damage to the polypropylene sheath.

Always handle the SCUBAPRO JAWZ TiTM with one hand. Use one hand to insert and disengage it from the sheath. The SCUBAPRO JAWZ TiTM should not be used or removed from the sheath using both hands.

↑ WARNING

YOUR FINGERS SHOULD BE KEPT AWAY FROM THE SERRATIONS AT ALL TIMES. THE SCUBAPRO JAWZ TI™ SHOULD BE HELD FIRMLY IN ONE HAND TO ENSURE THAT IT DOESN'T SLIP. HOLD THE SCUBAPRO JAWZ TI™ FIRMLY AND APPLY STRONG DOWNWARD PRESSURE WHEN IN USE.

KEEP OUT OF THE REACH OF CHILDREN

SCUBAPRO JAWZ TI™ MAINTENANCE

Clean the SCUBAPRO JAWZ Ti™ with hot water and detergent. Rinse with fresh water. Lubrication of steel components with oil/silicone is optional with the SCUBAPRO JAWZ TiTM as it is manufactured from corrosion-resis-tant titanium alloy. However, complete maintenance practices benefit both longevity and effectiveness.

STORAGE AND TRANSPORT

Before storing, inspect your SCUBAPRO JAWZ Ti[™] to make sure all components are sound and in working order and that there are no damages on it. If any damage is detected, have it serviced only by trained personnel and/ or a SCUBAPRO authorized dealer. Store them in a dry, cool place (between + 5° ÷ + 20° C) and out of direct sunlight. Transport your SCUBAPRO JAWZ Ti™ in a box or bag and make sure it can not slip out by itself to avoid damages on other products and/or injuries during removal.

PERIOD OF USE

The lifespan/duration of use of this product cannot be defined in general. Various factors such as storage conditions, level of care, frequency of usage and the field of application will influence the lifespan/duration of use. Extreme usage conditions can lead to excessive damage that may result in the product being no longer fit for use. Factors such as an aggressive environment or exposure to chemicals may damage the product beyond repair. Under the following circumstances, the product should no longer be used and has to be checked by an authorized SCUBAPRO dealer:

- Damage to the material or parts essential for safety, (e.g., closer).
- Damage to the plastic and/or metal parts (e.g. screws)
- When the product no longer appears to be generally safe and reliable
- When the product no longer meets the technical standards (e.g., changes in legal provisions, safety guidelines)

WARRANTY

All warranty claims must be returned with dated proof-of-purchase to an authorized SCUBAPRO dealer. Visit www.scubapro.com for the dealer nearest you.

European Union markets: the warranty of this product is governed by European legislation in force in each EU member state.

Warranty does not cover:

- Defects, damage or deterioration due to normal use or wear and tear
- Damage caused by exposure to excessive heat, prolonged sunlight or corrosive chemicals
- Damage due to poor maintenance, improper use, alteration, negligence or accident
- Damage due to repair by someone other than SCUBAPRO or an authorized SCUBAPRO dealer

MORE LANGUAGES FOLLOW SO	ON



SCUBAPRO





REDUCING OUR FOOTPRINT.

Product packaging is made of recycled materials & is recyclable.





SCUBAPRO USA & LATIN AMERICA I 1166 Fesier Street I El Cajon, CA 92020, USA SCUBAPRO AUSTRALIA I Unit 21/380 Eastern Valley Way I Chatswood, NSW, Australia REPAIR HUT LIMITED (UK auth. rep.) I 27 Southport Road I Chorley, Lancashire, PR7 1LF, U.K. JOHNSON OUTDOORS GERMANY (EU auth. rep.) I Bremer Strasse 4 I 90451 Nürnberg, Germany SCUBAPRO ASIA PACIFIC I 608 Block B, MP Industrial Ctr., 18 Ka Yip Street I Chaiwan, Hong Kong

